

U.S. ENVIRONMENTAL PROTECTION AGENCY

POLLUTION REPORT

George  
156160

DATE: June 3, 1983

Region II  
Emergency Response and Hazardous  
Materials Inspection Branch  
Edison, N.J. 08837

TO: J. Schafer, EPA  
R. Dewling, EPA  
B. Metzger, EPA  
Emergency Response Division  
J. Marshall, EPA  
W. Mugdan, EPA  
F. Rubel, EPA  
R. Spear, EPA  
NRC  
USCG 3rd Dist. (mep)  
J. Stanton, NJDEP  
K. Stoller, EPA  
B. Ogg, EPA  
TAT  
C. Simon, EPA

(201) 321-6670 - Commercial  
(201) 548-8730 - 24 Hour Emergency  
340-6670 - FTS

POLREP NO.: Fifteen (15)  
INCIDENT NAME: Pine Valley Golf Club  
SITE/SPILL NO: 242-83  
POLLUTANT: Pesticides and Possibly Other Substances  
CLASSIFICATION:  
SOURCE: Disposal Site at Pine Valley Golf Club  
LOCATION: Pine Valley, Clementon, New Jersey  
AMOUNT: Uncertain  
WATER BODY:

1. SITUATION:

A. The situation remains the same as May 13, 1983 report.

2. ACTION TAKEN:

A. Roy F. Weston, Inc. laboratory is in the process of analyzing all samples collected from the empty pit and for background comparisons and the field blank (distilled water) for RRA EP Toxic Metals, Total Metals, GC Pesticide Scan and Total Organic Halogens according to standard procedure and modified procedure as suggested by EPA-ERT.

B. Preliminary data concerning metals and Total Organic Halogens have been received. We are awaiting confirming data for these parameters as well as results of the GC Pesticide Scan.

C. A number of equipment problems have delayed the analysis; results are expected by June 9, 1983.

3. FUTURE PLANS AND RECOMMENDATIONS:

- A. Data from the laboratory analysis will be evaluated by:
1. Comparing pit samples to background, and
    - a. If results are below background, considering the pit clean
    - b. If results are above background:
      - 1) Determining mass and relating mass to Clean Water Act -311(b)(2)(A) Standards;
      - 2) Determining potential impact on water aquifers through contaminant fate modelling, and;
      - 3) Comparing E.P. Toxicity data to RCRA criteria.

CASE PENDING   X  

CASE CLOSED           

SUBMITTED BY           

*W. Gad Tawadros*  
W. Gad Tawadros, OSC  
Emergency Response and  
Hazardous Materials  
Inspection Branch  
(TAT)